

First aid policy

Action	Policy to be reviewed annually		
	Committee	Date	Completed
Review	S Wijeratna / Health & Safety Committee	January 2017	✓
Reported	Finance & Estates	7 March 2017	✓
Approved	Board of Governors	22 March 2017	✓

To be published on the following:	
Staff Portal	✓
School website	✓



Introduction

St Paul's Girls' School has drawn up this policy mindful of the Health and Safety (First Aid) Regulations 1981 (SI 1981 No 917) which require adequate arrangements to be made for the administration of first aid to staff taking account of staff numbers, the nature of the undertaking and the size and location of the establishment. Schools are not legally obliged to provide first aid for pupils but all school staff have common law responsibilities with regard to them and therefore good practice dictates that arrangements should be made for administering first aid to pupils. In order to ensure adequate first aid provision it is our policy that:

- There are sufficient numbers of trained personnel together with appropriate equipment available to ensure that someone competent in basic first aid techniques can rapidly attend an incident at all times when the school is occupied
- A qualified first aider is always available during normal school hours (see section 3 for hours of work and section 9.1 for definition of "qualified first aider")
- Appropriate first aid arrangements are made whenever staff and pupils are engaged in off-site activities and visits.

Contents:

- Responsibilities under the first aid policy
- Hours of work
- Out-of-hours and off-site activities
- First aid personnel
- First aid equipment
- Information
- Training
- Emergency procedures
- Reporting and record keeping
- Monitoring and review of policy

Responsibilities under the first aid policy

The Health and Safety Committee of St Paul's Girls' School (the School), on behalf of the Board of Governors, is responsible for the continuing assessment of first aid needs, which will take into account:

- Numbers of pupils, staff and visitors on site
- Layout and location of buildings and grounds
- Specific hazards
- Special needs
- Hours of work
- Out-of-hours and off-site arrangements
- Arrangements to provide adequate numbers of first aiders, to provide cover in the absence of first aiders, and adequate training
- First aid equipment needed
- Location of first aid equipment and notices

The Director of Operations, on behalf of the Health and Safety Committee, is responsible for:

- Maintaining records of accident reports.

The School Nurse, on behalf of the Health and Safety committee, is responsible for:

- Advising on appropriate levels of first aid provision
- Identifying first aid training needs, organising appropriate training for first aiders and maintaining a record of all first aid training of school staff
- Arranging and delivering in-house training for administering pupil medication
- Liaising with the health and safety committee on first aid issues
- Advising the School on training and resources needed for pupils with special medical needs.

The School Nurse is responsible for:

- Ensuring first aid cover is available during normal school hours
- Organising provision and replenishment of first aid equipment
- Maintaining accurate records of first aid treatments given in the medical centre.

Qualified first aiders (see appendix I) are responsible for:

- Responding promptly to calls for assistance
- Providing first aid support within their level of competence
- Summoning medical help as necessary
- Recording details of treatment given.

The director of sport is responsible for:

- Ensuring appropriate first aid cover is available at all out-of-hours PE activities
- Ensuring first aid kits are taken to all practice sessions and matches.

Science department staff are responsible for:

- Ensuring that they are aware of the location of the first aid kits in their laboratories
- Ensuring that risk assessments are done for any practical work taking place in their laboratories.

Art and design staff are responsible for:

- Ensuring risk assessments are in place for times when they are incorporating practical work into their lessons for example, the use of saws and other potentially high risk equipment.

All staff

All staff have a duty of care towards the pupils and should respond accordingly when first aid situations arise. New staff are briefed about the School's health department and where to find information and help. All staff are reminded regularly about the specific medical needs of girls within the school community and they are asked to familiarise themselves with the photo list on the board in the school office and staffroom detailing those girls with medical needs that require the use of EpiPens and those girls who could require first aid due to medical conditions such as epilepsy and diabetes. The list of qualified first aiders is published on the staff intranet/recorded in this policy and is updated annually.

Hours of work

We have a full-time nurse in attendance in the medical room from 8.00am to 4.30pm, Monday to Friday during term time. If she is absent, we put adequate first aid cover in place. If the nurse is on a long-term absence, the Deputy Head Director of Pastoral Care will organise for a replacement/agency nurse to be available.

Out-of-hours and off-site activities

Many school activities take place outside of normal school hours and/or off-site. First aid provision is available at all times while people are on the school premises and when on school trips or visits. All relevant staff should attend a one day first aid refresher course every three years to ensure provision of basic emergency aid at all times. PE staff require additional training due to the number and nature of out-of-hours activities for which they are responsible. In school holidays there should be a qualified first aider available during working hours, for example a member of the Business Directorate or caretakers. Pupils who take part in activities where they are required to work for significant periods of time out of immediate contact with a member of staff, e.g. during Gold Duke of Edinburgh expeditions or on fieldwork assignments, receive basic first aid and personal safety training prior to the event.

First aid personnel

The medical centre is staffed by the School Nurse who is a registered nurse (NMC - Nursing & Midwifery Council). The medical centre is open throughout the school day and is fully equipped to deal with everyday accidents and injuries. If the School Nurse is off-site for any reason staff will be informed and a notice will be displayed on the door of the medical centre giving details of how to obtain help. First aiders should be easily available in areas of greatest risk. There should be at least one qualified first aider in each of the following areas:

- Art/technology department
- PE department
- Science department
- Maintenance department
- Kitchens
- Business Directorate

First aid equipment

First aid kits are clearly labeled with a white cross on a green background in accordance with health and safety regulations Safety Signs Regulations 1980 (SI 1980 No 1471). The contents of first aid kits may vary depending on the particular needs in each location (e.g. blue detectable plasters must be used in food areas). The School Nurse is responsible for supplying and replenishing first aid kits as appropriate.

First aid boxes are currently situated in easily identifiable and accessible locations, as follows:

- Science
 - 12 x laboratories
 - 3 x preparation room
 - 1 x science office
- Art department
 - 1 x digital art studio – by teachers’ desk
 - 1 x senior studio – by the double sinks
 - 1 x main studio – by the double sinks
 - 1 x ceramics – by the left hand sink
 - 1 x print – by the sink
 - 1 x dark room (upper and lower)
 - 1 x 3D workshop (DT) – by the sink in the main area of workshop
- PE department
 - 1 x netball court at field (in staff toilets)
 - 1 x office at field
 - 1 x lobby to PE block
 - 5 x PE department office (for use at fixtures only)
 - 2 x swimming pool
 - 1 x boathouse
- Celia Johnson building
 - 2 x at front door to main theatre
 - 1 x theatre lighting box
 - 1 x new drama studio
 - 1 x business directorate kitchen
- Catering and cleaning
 - 1 x general services manager’s office
 - 1 x housekeeping manager’s office
 - 1 x catering admin office
 - 1 x maintenance mess room
 - 1 x groundsman’s office
- Other areas in school
 - 1 x IT department
 - 1 x school office
 - 1 x music office
 - 1 x medical centre
 - 1 x old drama studio
 - 1 x lower school office
 - 1 x swimming pool plant room

The contents of first aid boxes will be:

- 1 x guidance card
- 2 x first aid dressing medium

- 2 x eye pad with bandage
- 2 x triangular bandage non woven
- 1 x waterproof assorted plasters pack 20
- 3 x vinyl gloves non sterile pwd free x pair pre-packed
- 2 x eyewash sterile sodium chloride 20ml (where not provided separately)
- 1 x non alcohol wipes x10
- 1 x safety pins x6
- 1 x rebreath personal resuscitator
- 2 x steropad low adherent dressing 5cm x 5cm
- 2 x steropad low adherent dressing 10cm x 10cm
- 1 x micropore tape 2.5cm x 5m

The contents of travelling first aid kits are:

- 1 x guidance card
- 6 x individually wrapped sterile adhesive dressings
- 1 x large sterile unmedicated dressing
- 2 x triangular bandages
- 2 x safety pins
- Individually wrapped moist cleansing wipes
- Disposable gloves
- Vomit bags
- Biohazard bag
- Resuscitation mask
- Eye wash

A games first aid kit is to be taken to all games lessons, practices and matches. The PE department is responsible for checking and restocking these kits in liaison with the School Nurse.

Off- site activities and visits

First aid kits are to be taken on all off-site activities and visits. Kits suitable for use on day trips and those involving overnight stays are available from the School Nurse. Accompanying staff also carry details for each pupil as follows:

- Contact details for parents/guardians
- Details of any medical conditions
- Details of medication currently taken
- Details of conditions such as asthma, potential anaphylaxis which require specific equipment to be carried
- Details of allergies
- Details of dietary requirements
- Date of last tetanus injection
- Any other relevant information of help to a health professional in case of emergency

For short trips it is the responsibility of the visit organiser to check the medical conditions of pupils involved and to collect the appropriate medical and first aid kits.

For overnight visits and overseas exchanges, the School Nurse is responsible for providing the organiser with the appropriate medical information and appropriate medical and first aid kits. Parents are also presented with the information as listed above and asked to certify or amend as appropriate.

The High Mistress has the right to exclude a girl from a residential visit on medical grounds.

Information

All staff and pupils can obtain information on how to access first aid assistance in classrooms, the staff handbook and the health and safety manual.

Additionally, first aid notices are posted in communal areas such as corridors and entrance halls and in high-risk areas such as science, technology and games departments, detailing:

- Names of qualified first aiders
- Emergency telephone numbers within the School
- Arrangements for obtaining emergency aid outside normal hours, e.g. how to call an ambulance.

Rooms where first aid kits are located are clearly marked with a sign and all first aid notices are checked regularly for accuracy and amended as necessary. Key members of staff trained in first aid at “designated” level or whom meet the requirements for “emergency” first aid at work are listed on the first aid notices, dependent on level of experience. Please see Appendix I for a full list of current trained first aiders.

Training

A qualified first aider is someone who holds a valid certificate of competence in first aid at work. The certificate must be issued by an organisation approved by the Health and Safety Executive, such as St John Ambulance, and must be renewed every three years. The School Nurse arranges for staff to attend the first aid at work course as required.

A person with ‘Emergency First Aid at Work’ is someone who has attended a minimum of 7 hours first aid training (renewable every 3 years) and is competent to give emergency aid until further help arrives.

Pupils are encouraged to learn first aid skills through schemes such as the Gold Duke of Edinburgh’s Award Scheme and Life Guarding.

Emergency procedures

Depending on the severity of the injury or illness the casualty should either see the School Nurse at the next appropriate opportunity, e.g. break or lunchtime, or go immediately to the nurse, though it is their responsibility to inform the teacher whose lesson they are missing whenever the condition allows. They should be accompanied by a responsible friend if appropriate.

In the event of severe illness or injury, someone should call the School Nurse (via radio channel 1 or on 020 7605 4821, or ext. 4821 if dialing internally) or an ambulance without delay.

The information given should include telephone number, address, the exact location in the school, description of the signs and symptoms - particularly for anaphylactic shock - and the place where the ambulance will be met.

Procedures for dealing with specific medical conditions are given as follows:

- Anaphylactic shock (appendix II)
- asthma (appendix III)
- diabetes (appendix IV)
- epilepsy (appendix V)

If the School Nurse is not available, one of the qualified first aiders (see first aid notices for details) or the school office should be contacted.

Someone should always remain with the casualty until help arrives.

If an ambulance is called someone should go to the front of school to give directions to the ambulance crew.

Parents/next of kin of the casualty will be notified directly (i.e. not by leaving a voice message) once the ambulance crew have established the condition and the destination hospital. A responsible adult should accompany the casualty to hospital.

The School Nurse or first aider will inform parents if their daughter has suffered a head injury.

Dealing with biohazards

The aim of this procedure is to decrease the exposure risk to blood-borne and body fluid pathogens. Adherence to this policy is the responsibility of all staff who may come into contact with spillages of blood or other body fluids. All staff need to be aware of their personal responsibilities in preventing the spread of infection.

Disinfection aims to reduce the number of microorganisms to a safe level. Whilst a variety of chemical disinfectants is available, high concentration chlorine-releasing compounds provide an effective method of treating body fluid spills with activity against a range of bacteria and viruses.

Legal position

The School has a duty to protect its staff from hazards encountered during their work: this includes microbiological hazards (COSHH 2002). For the purposes of this policy, biohazards are defined as:

- Blood
- Respiratory and Oral Secretions
- Vomit
- Faeces
- Urine
- Wound Drainage
- Gastric Aspiration

Personal protective equipment

All staff dealing with a biohazard spill are to ensure that they:

- Wear a plastic disposable apron
- Wear disposable gloves
- Use the biohazard spill kits provided by the school (not “just a cloth or mop”). The urine and vomit spill kit can be found under the sink in the lobby of the medical centre
- Always dispose of personal protective equipment and contaminated waste in a sealed (yellow) disposable bag.

Procedure

All staff dealing with a biohazard spill are to:

- Take precautions so as not to come into contact with blood or body fluids, wet or dry, either on themselves, their clothing or protective equipment. In particular avoid blood or body fluids reaching the eyes or the areas inside the mouth and nose
- Wear appropriate personal protective equipment
- Use the biohazard spill kits provided by the school
- Place all soiled paper towel and gloves in a sealed (yellow) disposable bag to be disposed of in an approved manner
- Immediately after every clean up of blood or body fluid, hands including arms to the elbow must be washed with warm water and soap. This should be performed even if gloves have been worn
- Wash all areas that have come into contact with blood
- All biohazard spills are to be reported to the School Nurse
- Soiled clothing should be placed in a plastic bag and given to the adult collecting the child.

Reporting and record keeping

A record must be kept of any first aid treatment given and should include:

- Date, time and place of incident
- Name of casualty
- Details of the injury/illness
- Treatment and/or advice given
- Destination of the casualty after treatment (e.g. sent home, back to class, taken to hospital, etc.)
- Name and signature of first aider or person dealing with the incident.

A record must be kept of all accidents and the first aid treatment given. A copy should be kept by the School Nurse in an electronic log book in the medical centre and be recorded in the individual pupil/staff health file. Records are kept for a minimum of eight years in accordance with guidelines for storage of medical and nursing records.

For significant incidents (including near misses) an Incident/Accident report form must be completed by the first person on the scene and their line manager and submitted to the Business Directorate within 48 hours. Where there is injury to a person, the School Nurse will ensure that an Incident/Accident form is completed where required. All serious accidents must be reported immediately to the PA to the Directors of Operations & Resources on extension 4881. If necessary, the Director of Operations will report the accident/incident to the Health and Safety Executive and the School's insurers notified as appropriate.

If staff are in any doubt as to whether an Incident/Accident Report form should be completed, they should contact the Business Directorate for advice rather than assume a form is not required.

Records of all major accidents/incidents are kept by the Director of Operations. Copies of accident reports are also kept by the School Nurse and a copy should also be kept on the individual staff/girls file. Accident records should be kept for 7 years (see DSS The Accident Book B1 510).

There is a statutory requirement that some accidents must be reported to the Health and Safety Executive within 3 working days under the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR) (0845 300 9923). The following accidents must be reported to the HSE by the Director of Operations:

- Involving employees of self-employed people working in the premises:
 - Accidents resulting in death or major injury (including as a result of physical violence)
- Accidents which prevent the injured person from doing their normal work for more than 7 days involving pupils and visitors which:
 - results in the person being killed or being taken from the site of the accident to hospital
 - arise out of or in connection with work i.e. if it relates to:
 - Any school activity, both off and on the premises
 - The way the school activity has been organised and managed
 - Equipment, machinery or substances
 - The design or condition of the premises

HSE must be notified of fatal and major injuries and dangerous occurrences without delay. The Director of Operations is responsible for ensuring that this happens and will do so by using the online HSE F2508 form.

Monitoring and review of the policy

The School Nurse continually monitors first aid arrangements and the health and safety committee formally reviews them annually to ensure adequate and effective provision. We carry out additional reviews following any significant changes in structure, such as new buildings, relocation or changes in staffing and/or pupil numbers.

Any concerns regarding first aid should be reported without delay to the chair of the health and safety committee, the Director of Operations.

Appendix I

Full list of all qualified first aiders *updated January 2017*

Members of staff qualified in first aid at work – “designated” level

<u>Name</u>	<u>Location</u>	<u>Tel:</u>
Jessie Basch	PE department	020 7605 4840

Sophie Corthine	PE department	020 7605 4840
Megan Folley	PE department	020 7605 4840
Nick Hayes	Science department	020 7605 4853
Michael Hennessy	PE department	020 7605 4840
Gill MacMillan	PE department	020 7605 4840
Dave Martin	Caretakers' office	via school radio
Rosie Morgan	PE department	020 7605 4840
Rachel Mulloy	PE department	020 7605 4840
Marcus Nicholson	Catering department	020 7605 4833
Narelle O'Byrne	PE department	020 7605 4840
Kaarin Scanlan	Physical education office	020 7605 4840
Stephanie Stead	Medical Centre	020 7605 4821 / via school radio
Clare Tamimi	Medical Centre	020 7605 4821 / via school radio
Sydne Wick	PE department	020 7605 4840
Don Wilson (incl paracetamol)	Groundsman	Via school radio

Members of staff who meet the requirements for "emergency" first aid at work

<u>Name</u>	<u>Location</u>	<u>Tel:</u>
Gillian Abbott	Geography department	020 7605 4894
Julia Amigo	Science department	020 7605 4853
Kathryn Arblaster	Science department	020 7605 4852
Elizabeth Armstrong	Geography department	020 7605 4894
Vanessa Baron	Chaplain	020 7605 4813
Mekhla Barua	Lower school office	020 7605 4859
Marcin Bednarczyk	Catering department	020 7605 4833
Michal Bednarczyk	Catering department	020 7605 4833
Miriam Brizuela	IT department	020 7605 4889
Spencer Buksh	Staff room	020 7650 4806
Matt Bunning	Art department	020 7605 4818
Jack Davidson	IT department	020 7605 4862
Anthony Dawkins	Caretakers' office	via school radio
Gill D'Lima	Maths department	020 7605 4806
Howard Draper	Maintenance	via school radio
Kate Evans	Staff room	020 7605 4806
Mark Evans	Maintenance department	via school radio
Agnes Fejes	Science department	020 7605 4852
Hannah Fillipi	RS department	020 7605 4806
Izzy Foley	Drama department	020 7605 4857
Gabbi Freemantle	Music department	020 7605 4812
Deako Harrison	Science department	020 7605 4854
Sue Jeffreys (incl paracetamol)	Reprographics	020 7605 4825
Elaine Kebbatti	Front Office	020 7605 4804 / extension 0
Amelia Kolodziej	Catering & Cleaning	020 7605 4828
Tamara Lawrence-Grinter	Science department	020 7605 4853
Paula Mahoney-Velez	Modern Languages	020 7605 4887
Daniella Maddell	Modern Languages	020 7605 4887
Helene May	Modern Languages	020 7605 4887
Jo Moran	IT department	020 7605 4860
Debbie Ng	Business Directorate	020 7605 4881
Irina Ninnis	Modern Languages	020 7605 4887
Tom Norris	Art department	020 7605 4818
Sarah O'Connor	Chemistry department	020 7605 4851
Tom Peck	History department	020 7605 4806
Heidi Pegler	Music department	020 7605 4837
Elaine Photiou	Bookroom	020 7605 4855

Mamum Rashid	Science department	020 7605 4851
Jessamy Reynolds	Classics	020 7605 4806
Holly Shao	Modern Languages	020 7605 4887
Clare Sharp	Classics department	020 7605 4806
Marcin Slaski	Physics department	020 7605 4851
Anna Sprawka	Science department	020 7605 4853
Leighton Thomas	Caretakers' office	via school radio
Amanda Trail	Business Directorate	020 7605 4884 / via school radio
Giuseppe Urso	Modern Languages	020 7605 4887
Damon Vosper-Singleton	Maths department	020 7605 4806
Zibby Wasak	Catering & Cleaning	020 7605 4828 / via school radio
Rachel Watts	Art department	020 7605 4818
Su Wijeratna	Assistant Head office	020 7605 4892
Jane Zeng	Modern Languages	020 7605 4887

Appendix II

Severe allergic reaction - anaphylaxis

Anaphylaxis is a severe allergic reaction requiring immediate medical attention. The reaction usually occurs within minutes of exposure to the “trigger” substance although in some cases the reaction may be delayed for as much as a few hours. Common trigger substances include peanuts, tree nuts, eggs, shellfish, insect stings and drugs such as penicillin and aspirin.

Signs and symptoms

The signs and symptoms of anaphylaxis vary from one person to another and may include some or all of the following.

The early symptoms of allergy

- Itchy, urticarial rash anywhere on the body
- Runny nose and watery eyes
- Nausea and vomiting
- Dizziness

The danger signs of anaphylaxis are

- Swelling of lips, tongue and throat
- Cough, wheeze, tightness of chest or shortness of breath
- Sudden collapse or unconsciousness

Treatment

Treatment depends on the severity of the reaction and may require emergency injection of adrenaline.

For mild symptoms

Piriton or inhaler may be given by the School Nurse, by any first aider in her absence and on trips by any attending adult. Piriton should be taken on all trips.

The child should be monitored to ensure their medical condition doesn't worsen.

For severe symptoms

This is usually given via an auto-injector device (EpiPen) into the thigh muscle and may be given through clothing. The adrenaline quickly reverses the effects of the allergic reaction but it is short-acting. If necessary a second EpiPen can be used. The child must go to hospital by ambulance if the EpiPen is used.

Emergency procedure

If a child shows signs of symptoms of a severe allergic reaction, the School Nurse or attending adult will be informed immediately.

Call an ambulance without delay, stating “child with anaphylaxis” (follow procedure for calling an ambulance).

If the School Nurse is not available for any reason, follow these procedures:

- Send a responsible person to get the child’s emergency box from the medical centre
- Monitor the child’s condition carefully
- Administer, if necessary, the EpiPen as follows:
 - Remove all packaging and pull off safety cap
 - Place orange tip on the upper outer thigh midway knee to hip at right angles to the skin
 - Inject using a quick motion; the auto-injector mechanism functions with an audible click and works through clothing if necessary. Hold for approximately 10 seconds. Massage area for 10 seconds afterwards.
 - Ensure the child’s parents or next of kin are contacted (details inside emergency box)
 - Monitor the child’s condition carefully; a second dose of EpiPen may be needed after 10 minutes, if help has not arrived and the child’s condition is no better
 - Give all used EpiPens to the ambulance crew for safe disposal
 - It may be necessary for a member of staff to accompany the child to hospital until the parents arrive
 - The School Nurse will record the incident on an accident report form and in the pupils individual health file
 - Parents will replace medication as necessary.

Collapse

Assess for cardio-pulmonary resuscitation (see CPR procedure)

First episode

In the case of a pupil without a previous history of anaphylaxis and allergy the School Nurse should be contacted if the episode occurs in school. If she is not available or the incident is outside the school an ambulance should be called and the appropriate first aid measures should be applied.

Management in school

- Parents should inform us of their child’s allergy in the medical history forms they complete when the girl joins St Paul’s. If the condition develops later, the parents should notify us as soon as possible.
- The School Nurse will discuss with parents the specific arrangements for their child. The parents are to sign the agreed health care plan.
- Parents should teach their child about management of his/her own allergy including avoiding trigger substances and how and when to alert an adult.
- It is the parents’ responsibility to ensure that their daughter carries her own in-date EpiPen and antihistamine (if required) at all times. In addition, parents should provide us with two in-date EpiPens and provide replacements promptly when nearing expiry date. They should sign up for the EpiPen expiry alert service (or equivalent). The medication will be kept in a named container in the medical centre. The medical box will also contain the agreed health care plan and emergency contact details.
- The School Nurse will inform the Head of Year and relevant staff, including the general services manager, of the child’s allergy and emergency treatment procedure.
- A named photograph of pupils with severe allergies is displayed on the intranet, in the staff room, catering office and PE offices, science departments and administrative offices.
- Training will be available to all staff in the recognition and treatment of anaphylaxis and allergy including use of EpiPens and how to summon help from an emergency first aider.
- Catering staff will take all reasonable steps to ensure suitable food is available and will advise pupils on ingredients and appropriate food choices as required.
- A pupil should carry her in-date EpiPen with her at all times at school together with any other emergency medication. Should this not happen, she will not be permitted to be in school or allowed to attend any school trips.
- Specific arrangements should be made for after-school or weekend activities and for school trips and visits.

- Teaching staff should contact parents of allergic children when lessons include food-related activities.
- Parents that are hosting children on exchange visits in other countries need to be informed of the child's medical condition and shown how to use an EpiPen. Dummy EpiPens are available from the School Nurse.

Appendix III

Asthma

This school recognises that asthma is a widespread, serious but controllable condition affecting many pupils at the school. The school welcomes all pupils with asthma and encourages pupils with asthma to achieve their potential in all aspects of school life by having a clear policy that is understood by school staff, and pupils. Supply teachers and new staff are also made aware of the policy. All staff who come into contact with pupils with asthma are provided with training on asthma from the School Nurse on request.

Introduction

1 in 11 (Asthma UK) children and young people have asthma in the UK. Over the age of 14 years the prevalence is greater in girls. Asthma is one of the most frequent causes for absence and the most common reason for a pupil to take medication in school time.

Description

Asthma affects the airways – the tubes carrying air in and out of the lungs. With asthma the airways are more sensitive to irritants; they become narrower and may produce more mucus. This makes it difficult to breathe.

Asthma cannot be cured but it can be controlled by medicines, usually in the form of inhalers; relievers that open the airways and make it easier to breathe, and preventers that make the airways less sensitive to the irritants. Most people with asthma, who receive the correct treatment and take the medication correctly, will lead normal lives with no restriction of activity.

Symptoms and Signs

Asthma varies in severity and in presentation according to the individual. Some will have symptoms continuously, others will have symptoms intermittently.

Triggers

- A viral illness
- Exercise
- Cold weather
- Irritants – smoke, dust, fumes
- Emotion
- Pollution
- Allergens – such as pollen, cat hair

Severe symptoms may include

- Coughing
- Shortness of breath
- Wheezing
- Tightness in the chest
- Being unusually quiet
- Difficulty in speaking in full sentences

Management of asthma in school

Record keeping

When a child joins the school, parents/carers are asked if their child has any medical conditions including asthma on their health history form.

An asthma register is maintained; this is available to all school staff.

All parents/carers of children with asthma are requested to complete the consent for use of an emergency inhaler if required, and complete the health care plan detail and asthma history. Please inform the medical centre of any changes.

Asthma medicines

Salbutamol is relatively a safe medication, particularly if inhaled but all medicines can have some side effects.

Those of inhaled salbutamol are mild and temporary. The child might feel shaky or may tremble or they may say their heart is beating faster.

Immediate access to reliever medicines is essential. Pupils with asthma are requested to carry their reliever inhaler during the school day, on all school trip and sports fixtures. Failure to do so may exclude them from participating in these activities.

Emergency reliever inhalers are also available in the PE pavilion at the field, at the swimming pool, the boathouse and the PE office, and also in the Science block for the use only by the list of known asthmatics (lists are kept with emergency inhalers).

School staff are not required to administer asthma medicines to pupils (except in an emergency). However, many of the staff at this school are happy to do this. School staff who agree to administer medicines are insured by the school when acting in agreement with this policy. All school staff will let pupils take their own medicines when they need to.

Care and storage

Storage

- Medical Centre - in medical cabinet/cupboard 2 inhalers and 4 single use spacers
- PE (as stated above) - in emergency kit / cupboard 3 inhalers and 6 single use spacers
- Science - in emergency cupboard 1 inhaler and 2 single use spacers
- Instructions on using the inhaler and spacer
- Instructions on cleaning and storage
- Manufacturers information
- A checklist of inhalers, batch number, expiry date - checked monthly
- List of asthmatics
- Replacement arrangements.

Disposal - return to the school nurse who will take them to a pharmacy

Care

- Named staff with responsibilities for maintaining the emergency asthma kit
- Check inhalers and spacers monthly
- Replace as needed
- Check The plastic barrel of inhaler is clean and dry
- The inhaler and spacer should not be locked away
- Store below 30 °C
- To avoid cross infection the spacer should not be reused - give to the child to take home
- The inhaler can be reused. Remove the inhaler canister and wash the plastic inhaler housing and cap in warm running water and left to air dry.
- If there is any risk of contamination with blood or an inhaler has been used without a spacer, it should not be reused but disposed of.

Staff

Designated staff trained to:

- recognise symptoms of attacks
- be aware of the asthma policy
- be aware of how to look up child on asthma register
- be aware of how to access the inhaler and spacers
- How to access help
- recognise when emergency action is needed
- know how to administer salbutamol inhalers.

Parental support

After use of an emergency salbutamol inhaler parents should be notified and a letter filled out by the school nurse detailing treatment and advising to see GP.

Asthmatic children should not be given ibuprofen.

Exercise and activity – PE and games

Taking part in PE, games and activities is an essential part of school life for all pupils. All teachers know which children in their class have asthma and all PE teachers at the school are aware of which pupils have asthma from the school's asthma register.

Pupils with asthma are encouraged to participate fully in all PE lessons. PE teachers will remind pupils whose asthma is triggered by exercise to take their reliever inhaler before the lesson, and to thoroughly warm up and down before and after the lesson. If a pupil needs to use their inhaler during a lesson they will be encouraged to do so. Pupils need to carry their inhalers with them at all times.

Classroom teachers follow the same principles as described for games and activities involving physical activity.

Out-of-hours sport

The health benefits of exercise are well documented and this is also true for children and young people with asthma. The school will not discriminate against pupils with asthma and enable them whenever appropriate, to be involved in PE.

PE teachers, classroom teachers and out-of-hours school sport coaches are aware of the potential triggers for pupils with asthma when exercising, tips to minimise these triggers and what to do in the event of an asthma attack. All staff and PE coaches are provided with training from the School Nurse if requested.

School environment

The School does all that it can to ensure the school environment is favourable to pupils with asthma. The School ensures that furry or feathery animals are maintained in controlled conditions with due regard to asthma and allergy management, and has a definitive no-smoking policy. The laboratories are equipped with fume cupboards. Pupils with asthma are encouraged to leave the room and go and sit in the school medical centre if particular fumes trigger their asthma.

When a pupil is falling behind in lessons

If a pupil is missing a lot of time at school or is always tired because their asthma is disturbing their sleep at night, the form tutor and School Nurse will initially talk to the parents/carers to work out how to prevent their child from falling behind. If appropriate, the School Nurse will consult with the respiratory nurse/medical consultant involved with the girl. The form tutor may also talk to the special education needs coordinator about the pupil's needs.

The School recognises that it is possible for pupils with asthma to have special educational needs due to their asthma.

Asthma attacks

All staff who come into contact with pupils with asthma will have instructions available to them on what to do in the event of an asthma attack.

Management of an acute asthma attack

How to recognize an asthma attack (Guidance on the Emergency use of salbutamol inhalers in school, 2014)

The Child may present with the following symptoms indicating poor control of her symptoms:

- Persistent cough when at rest
- A wheezing sound coming from the chest (when at rest)
- Difficulty breathing (the child could be breathing fast and with effort, using all accessory muscles in the upper body)
- Nasal flaring
- Unable to talk in complete sentences. Some children will go very quiet
- May try to tell you that their chest 'feels tight' (younger children may express this as stomach ache).

Severe symptoms may include:

- Coughing
- Shortness of breath
- Wheezing
- Tightness in the chest
- Being unusually quiet
- Difficulty in speaking in full sentences

Call an ambulance immediately and commence the Asthma attack procedure without delay if the child:

- Appears exhausted
- Has blue/white tinge around lips
- Is going blue
- Has collapsed.

What to do in the event of an asthma attack:

- Keep calm and reassure the child
- Encourage the child to sit up and slightly forward
- Use the child's own inhaler, if not available, use emergency inhaler
- Remain with the child while the inhaler and spacer are brought to them immediately help the child to take two puffs of Salbutamol via the spacer
- If there is no improvement, continue to administer two puffs at a time every two minutes, up to a maximum of ten puffs
- Stay with the child until they feel better. The child can return to school activities when they feel better
- If the child does not feel better or you are worried at ANY TIME before you have reached ten puffs, CALL 999 FOR AN AMBULANCE
- If an ambulance does not arrive in 10 minutes administer another 10 puffs the same way.

Appendix IV

Diabetes

St Paul's welcomes and supports pupils with medical conditions, including diabetes mellitus, who currently attend and may attend in the future. We will help to ensure that they are healthy; stay safe;

enjoy school; achieve; make a positive contribution; and participate in all school activities. We endeavour that parents/guardians of pupils with medical conditions feel secure in the care their children receive at this school. The School ensures that all staff understand their duty of care to the pupil in the event of an emergency and are confident in knowing what to do in an emergency.

Management in school

When the pupil joins the School, the parents will declare it on the health history form and the School Nurse will send a healthcare plan for completion. This will include details of triggers for an event such as a hypoglycaemic attack (due to low blood sugar) and the emergency medication that is to be used. It will also include instructions as to when to call the emergency services.

The healthcare plan and the medication will be kept in a box, identifiable by a name and a photograph, on the shelf in the waiting room of the medical centre, or in the fridge if necessary.

The child's name and photograph will be kept on a list of children with serious medical conditions and copies of these are available for easy reference throughout the School.

Medicine

The pupil will know how to administer her medication. However, the School will support her and the School Nurse will discuss with the parent/guardian all aspects of the medication and its administration. She will ensure that the information is available to all staff. The School will provide, as necessary, facilities for the safe disposal of needles or the recharging of insulin pumps. If it is necessary to keep medication on the school premises the advice for storage will be followed.

The need for regular eating times is recognised by the School and the appropriate considerations will be made after discussion with the pupil, parent, specialist and health coordinator. If it is necessary for special allowances to be made regarding eating during examinations, for instance, it may be that other pupils will have to be told, though this would be done after discussion with the pupil.

Diabetes management outside school will be the responsibility of a specialist centre and the school will keep in close touch with them regarding changes in medication.

School visits

Diabetic pupils will not be excluded from school visits. All staff will be advised of the necessary precautions and the emergency procedures. Risk assessments will be carried out and copied to parents before the visit.

School visits and residential and overnight visits.

Day visits

The pupil needs to carry their medication and monitoring kit as usual.

The staff will collect the pupil's first aid kit with a copy of the healthcare plan and emergency procedures, for use in the event of a hypoglycaemic attack. They will be aware of the possible need for extra carbohydrate intake.

Residential and overnight visits

The parent/ guardian confirms a detailed medical history form prior to departure which will include the details of medication with current dosage and frequency.

In the event of loss or damage to the insulin, it will be the parents' responsibility to provide extra medication with full storage details. The teacher organising the trip will aim to ensure that there are available relevant storage facilities for the medication.

It is important that the pupil is confident in the management of her diabetes with regard to dosage, administration, monitoring control and adjustment of dosage. If she is not then the school will discuss with the parent/guardian the requirement for a trained healthcare professional to be supplied for the trip.

A copy of the healthcare plan and emergency procedures will be taken on the trip. For trips abroad *Diabetes UK* publishes country guides.

Exercise and physical activity

The School will ensure that staff will be aware of the precautions necessary for a pupil with diabetes to take part in sporting activities and on the emergency procedures.

Background

Diabetes is a long-term medical condition.

The carbohydrate in food (bread, rice, potato, chapattis, yams, sweet foods) is digested and absorbed into the blood stream as glucose. Insulin is the pancreatic hormone that helps move the glucose from the blood into the body's cells where it used for energy.

In Diabetes either the pancreas does not make any/enough insulin or the insulin does not work properly; or a combination of both.

There are two main types of diabetes:

Type I cannot be prevented and occurs usually in young children and young adults, when the pancreas does not produce insulin. Treatment is insulin taken either by injections or via a pump.

Type II is far more common than type 1 and occurs in older people but there is a trend for overweight young adults and teenagers to develop this form. The pancreas can make some insulin but not enough, or the insulin produced does not work very well. Treatment is by diet, weight loss and oral medication.

Signs and symptoms

- Passing urine frequently due to the high blood glucose levels leaking into the urine.
- Thirst due to high blood glucose levels and loss for fluid from passing a lot of urine.
- Weight loss due to the body breaking down fat and protein stores in an attempt to increase the glucose apparently needed for energy and through loss of fluid.
- Tiredness, confusion and coma due to the chemical effects of the above processes on the body.

If you are concerned that a pupil without a diabetes diagnosis seems to presenting these symptoms, please contact the School Nurse without delay.

Medication and treatments

Type I

Insulin cannot be given orally as it will be digested. It is administered as a rule by either an:

- a) Insulin pens and injection (either pre-filled and disposable or with a replaceable cartridge). Insulin may be administered several times a day so the pupil may carry their pen and blood testing kit with them. Spare insulin may be kept in a labelled box in the fridge. It will be the responsibility of the pupil to be aware of her dosage of insulin. If there is a query during the school day either the parents are contacted or the specialist nurse, details if given will be in the pupil's medical box.
- b) Insulin pump - this will continually infuse insulin into the subcutaneous tissue and is worn attached to the pupil. It helps maintain a more even blood sugar level and as it is easy to vary the dose, gives pupils more freedom with diet and activity.

Each pupil who uses the pump must learn to set the insulin dose themselves according to their diet activity and blood glucose levels; and how to test their blood glucose and adjust the pump's speed of delivery.

Staff and first aiders will not be required to know how to calculate dosage or administer insulin, by whatever mechanism.

Type II

Usually treated with lifestyle changes such as diet, weight loss and increased physical activity. However it is also managed with tablets and sometimes insulin

The pupil will be responsible for taking the tablets herself.

Complications

Hypoglycaemia (hypo)

This occurs when the level of glucose falls too low so affecting the brain function (the brain can only use glucose for energy)

It can be caused by:

- Too much insulin
- Too many antidiabetic tablets
- A missed or delayed snack/meal
- Not enough food especially carbohydrate
- Strenuous or unplanned exercise

Watch out for:

- Hunger, trembling, shaking
- Sweating, anxiety or irritability
- Fast pulse or palpitations
- Tingling, glazed eyes and pallor
- Mood change, aggressiveness
- Lack of concentration, vagueness, drowsiness

What to do

If patient is conscious:

- Give sugary drink/jelly babies/ glucose tablets (The pupil will carry their own, but packs containing a drink, jelly babies and a biscuit, are kept in the prep rooms of the science block; at the swimming pool and at the PE field).
- Take the child to a safe place until recovered, when she can be given more starchy food (roll, a couple of biscuits etc).

If patient is unconscious:

- Call 999
- Do not give anything to eat or drink
- Contact School Nurse
- Contact parents

Hyperglycaemia

This is when the blood glucose levels rise above the normal range. If the levels stay high the pupil may become very unwell but this does not happen immediately.

It is caused by:

- Too little insulin
- Too much food
- Stress
- Less exercise than usual
- Infection or fever

Common symptoms:

- Thirst
- Frequent urination
- Tiredness
- Nausea
- Blurred vision
- Dry skin

What to do

- Call parents
- Discuss with pupil – they could take their glucose level and may feel confident to give themselves extra insulin
- Call the specialist diabetic nurse (see girl's health plan) for advice
- Call 999 if:
 - Confused /impaired consciousness
 - Deep and rapid breathing
 - Vomiting
 - Breath smelling of acetone (like pear drops, nail polish remover)

Appendix V

Epilepsy

St Paul's Girls' School recognises that epilepsy is a common condition affecting many children and young people and welcomes all pupils with epilepsy.

We believe that every child with epilepsy has the right to participate fully in the curriculum and life of the school, including all outdoor activities and residential trips; assuming health and safety considerations are met. The School will endeavour to meet all the educational needs of the child, which should be discussed with the medical team.

We keep a record of all the medical details of children with epilepsy and keeps parents updated with any issues it feels may affect the pupil.

St Paul's ensures that all pupils and staff in the School understand epilepsy and do not discriminate against any children with the condition.

We ensure that at least one member of staff trained to administer emergency medication is in the school at all times. Advice about this condition is available to all staff.

This school will work together with children, parents staff, governors, and other educational and healthcare professionals to implement and maintain this policy.

Epilepsy background

Epilepsy is the most common serious neurological condition. It affects about 1 in 279 children under 16 years (around 3 per in secondary school).

Epilepsy occurs when the electrical activity of the brain stops working in harmony. It can be due to a head trauma, secondary to drugs or toxins, or for no known cause – idiopathic.

There are many types of seizures but the main differentiations are those that affect the whole of the brain (generalized seizures) or only part of the brain (partial seizures). Generalised seizures usually result in a loss of consciousness, which may last seconds or several minutes. Partial seizures only partly affect consciousness.

The main types of seizure that occur in school- aged children

Tonic clonic

This seizure happens in two stages. First, the child will lose consciousness, fall to the ground and their body goes stiff. The second clonic stage happens when limbs jerk. This is caused by muscles contracting and relaxing in quick succession. It isn't possible to stop the seizure. During the second phase a person may bite their tongue and cheeks. Afterwards they will regain consciousness and may seem confused and may not be able to remember anything at first. They can be left with a headache and aching limbs that can last for hours or days.

Absence seizure

Often known as petit-mal, the child briefly loses consciousness but not muscle tone or collapse; they may appear to be distracted or daydreaming and can occur many hundreds of times a day. The child's performance in school may deteriorate and they may appear inattentive.

Complex partial seizures

During these seizures the child will have impaired consciousness and may do repetitive actions such as swallowing, scratching or looking for something. They may be interpreted as bad behaviour. It is important not to restrain the child, as this may frighten them, but it is necessary to keep them safe, e.g. guide them from busy roads. When the seizure ends the child may be confused and will require reassurance and monitoring until fully conscious.

Triggers

These may cause a seizure to occur:

- Emotion - stress, excitement
- Tiredness
- Illness and fever.
- Flickering lights (1 in 20 cases)

Management in school

Record keeping and medicines

If a child has a diagnosis of epilepsy made prior to joining the school, the parents will declare it on the health history form and the School Nurse will send a healthcare plan for completion. This will include details of triggers for a seizure that are particular to that child, symptoms and the emergency medication that is to be used. It will also include instructions as to when to call the emergency services.

The healthcare plan and the medication will be kept in a named box on the shelf in the waiting room of the medical centre.

The child's name and photograph will be kept on a list of children with serious medical conditions and copies of these are available for easy reference throughout the school.

The staff will be informed of any special requirements, such as the position for classroom teaching.

Whilst confidentiality is maintained, in the situation where there is a potential risk to the child and to others it is necessary to advise the staff of the medical diagnosis.

First aid for a seizure

First aid for the pupil's seizure type will be included on their healthcare plan. Staff will be advised on basic first aid procedures and the School has a team of qualified first aiders.

There are several types of seizure but in most cases the sufferer falls to the ground and twitches.

- Make sure the area is clear so they don't hurt themselves if they are thrashing around. Loosen tight clothing around their neck.
- Do not move them unless they are in danger.
- Note the time of the seizure starting.
- If possible place a jumper or something soft under the head.
- DO NOT put anything into the mouth, or restrain them.

After the seizure

- Check breathing.
- Make sure the airway is clear. It may be necessary to carry out CPR.
- If breathing, place in the recovery position.
- Monitor and record vital signs pulse, rate of breathing level of response.
- Note the length of time of the seizure.

- After a seizure she may be confused and disorientated; reassure and make arrangements for her to have somewhere safe to sleep.
- The patient may also have been incontinent, in which case cover to avoid potential embarrassment.

Call an ambulance

- If the seizure lasts for more than 5 minutes
- She is unconscious for more than 10 minutes
- You are having to carry out CPR
- Repeated seizures
- You are worried and need assistance.

When calling an ambulance, please follow the procedures which are displayed next to the lists of first aiders displayed in the school office and in the staff room and in other places around the school.

School environment

St Paul's Girls' School recognises the importance of having a school environment that supports the needs of children with epilepsy. A medical room is kept available and equipped with a bed in case a pupil needs supervised rest following a seizure. We have a wheelchair and trolley for moving pupils around the school in safety.

The above epilepsy policy applies equally within the school and at any activities off the school premises and organised by the School. Any concerns held by the pupil, parent, or member of staff or the medical team will be addressed prior to the activity.

Availability of this policy

Copies of this policy may be downloaded from our website <http://www.spgs.org/school-policies/> or are available on request from the Business Directorate, St Paul's Girls' School, Brook Green, London, W6 7BS (tel: 020 7603 2288)